

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-				
	Births	Infant								
All races										
All birthweights										
All causes	4,090,007	27,995 684.47	18,935 462.96	15,152 370.46	3,783 92.49	9,060 221.52				
Congenital malformations (Q00-Q99).....		5,640 137.90	4,044 98.88	3,082 75.35	962 23.52	1,597 39.05				
Short gestation and low birthweight nec (P07).....		4,849 118.56	4,759 116.36	4,638 113.40	121 2.96	90 2.20				
Sudden infant death syndrome (R95).....		2,161 52.84	192 4.69	33 0.81	159 3.89	1,969 48.14				
Maternal complications of pregnancy (P01).....		1,707 41.74	1,694 41.42	1,663 40.66	31 0.76	13 *				
Complications of placenta, cord, membranes (P02).....		1,092 26.70	1,079 26.38	1,040 25.43	39 0.95	13 *				
Respiratory distress of newborn (P22).....		838 20.49	782 19.12	610 14.91	172 4.21	56 1.37				
Accidents (unintentional injuries) (V01-X59).....		942 23.03	112 2.74	20 0.49	92 2.25	830 20.29				
Bacterial sepsis of newborn (P36).....		775 18.95	742 18.14	323 7.90	419 10.24	33 0.81				
Diseases of the circulatory system (I00-I99).....		588 14.38	180 4.40	92 2.25	88 2.15	408 9.98				
Intrauterine hypoxia, birth asphyxia (P20-P21).....		551 13.47	511 12.49	389 9.51	121 2.96	40 0.98				
All other causes.....		8,851 216.41	4,840 118.34	3,261 79.73	1,579 38.61	4,011 98.07				
Less than 2,500 grams										
All causes	325,619	19,223 5,903.53	15,762 4,840.63	13,259 4,071.94	2,503 768.69	3,461 1,062.90				
Congenital malformations (Q00-Q99).....		3,363 1,032.80	2,702 829.80	2,236 686.69	465 142.80	661 203.00				
Short gestation and low birthweight nec (P07).....		4,744 1,456.92	4,657 1,430.20	4,536 1,393.04	120 36.85	88 27.03				
Sudden infant death syndrome (R95).....		416 127.76	28 8.60	3 *	25 7.68	388 119.16				
Maternal complications of pregnancy (P01).....		1,643 504.58	1,630 500.59	1,601 491.68	29 8.91	13 *				
Complications of placenta, cord, membranes (P02).....		991 304.34	985 302.50	956 293.59	29 8.91	6 *				
Respiratory distress of newborn (P22).....		813 249.68	757 232.48	591 181.50	167 51.29	55 16.89				
Accidents (unintentional injuries) (V01-X59).....		158 48.52	25 7.68	9 *	16 *	133 40.85				
Bacterial sepsis of newborn (P36).....		689 211.60	657 201.77	280 85.99	377 115.78	31 9.52				
Diseases of the circulatory system (I00-I99).....		287 88.14	96 29.48	57 17.51	39 11.98	191 58.66				

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant				
All races						
Intrauterine hypoxia, birth asphyxia (P20-P21).....	268 82.30	258 79.23	207 63.57	51 15.66		10 *
All other causes.....	5,851 1,796.89	3,967 1,218.30	2,783 854.68	1,184 363.62		1,884 578.59
2,500 grams or more						
All causes	3,763,758 228.57	8,603 80.16	3,017 46.26	1,741 33.93	1,277 5.585	5,585 148.39
Congenital malformations (Q00-Q99).....	2,267 60.23	1,333 35.42	838 22.26	495 13.15		934 24.82
Short gestation and low birthweight nec (P07).....	31 0.82	29 0.77	28 0.74	1 *		2 *
Sudden infant death syndrome (R95).....	1,742 46.28	164 4.36	30 0.80	134 3.56		1,578 41.93
Maternal complications of pregnancy (P01).....	40 1.06	40 1.06	38 1.01	2 *		- -
Complications of placenta, cord, membranes (P02).....	90 2.39	83 2.21	73 1.94	10 *		7 *
Respiratory distress of newborn (P22).....	25 0.66	24 0.64	19 *	5 *		1 *
Accidents (unintentional injuries) (V01-X59).....	784 20.83	87 2.31	11 *	75 1.99		698 18.55
Bacterial sepsis of newborn (P36).....	85 2.26	83 2.21	43 1.14	40 1.06		2 *
Diseases of the circulatory system (I00-I99).....	298 7.92	84 2.23	34 0.90	49 1.30		214 5.69
Intrauterine hypoxia, birth asphyxia (P20-P21).....	277 7.36	246 6.54	176 4.68	70 1.86		30 0.80
All other causes.....	2,963 78.72	845 22.45	450 11.96	395 10.49		2,119 56.30
Not stated birthweight						
All causes	630 26,825.40	169 24,603.17	155 24,126.98	152 *	3 *	14 *
Congenital malformations (Q00-Q99).....	10 *	9 *	7 *	2 *		1 *
Short gestation and low birthweight nec (P07).....	74 11,746.03	74 11,746.03	74 11,746.03	-	-	-
Sudden infant death syndrome (R95).....	3 *	-	-	-		3 *
Maternal complications of pregnancy (P01).....	24 3,809.52	24 3,809.52	24 3,809.52	-	-	-
Complications of placenta, cord, membranes (P02).....	11 *	11 *	11 *	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
All races						
Bacterial sepsis of newborn (P36).....	1 *	1 *	-	1 *	-	-
Diseases of the circulatory system (I00-I99).....	3 *	1 *	1 *	-	-	2 *
Intrauterine hypoxia, birth asphyxia (P20-P21).....	6 *	6 *	6 *	-	-	-
All other causes.....	36 5,714.29	28 4,444.44	28 4,444.44	-	-	8 *
White						
All birthweights						
All causes	3,225,890 572.18	18,458 386.16	12,457 309.22	9,975 76.94	2,482 186.00	6,000
Congenital malformations (Q00-Q99).....	4,301 133.33	3,131 97.06	2,414 74.83	717 22.23	1,170 36.27	
Short gestation and low birthweight nec (P07).....	2,733 84.72	2,690 83.39	2,621 81.25	69 2.14	43 1.33	
Sudden infant death syndrome (R95).....	1,407 43.62	132 4.09	24 0.74	107 3.32	1,275 39.52	
Maternal complications of pregnancy (P01).....	1,077 33.39	1,071 33.20	1,054 32.67	17 *	6 *	
Complications of placenta, cord, membranes (P02).....	738 22.88	731 22.66	710 22.01	21 0.65	7 *	
Respiratory distress of newborn (P22).....	542 16.80	505 15.65	396 12.28	108 3.35	37 1.15	
Accidents (unintentional injuries) (V01-X59).....	646 20.03	72 2.23	13 *	58 1.80	574 17.79	
Bacterial sepsis of newborn (P36).....	478 14.82	456 14.14	218 6.76	238 7.38	22 0.68	
Diseases of the circulatory system (I00-I99).....	371 11.50	129 4.00	69 2.14	60 1.86	242 7.50	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	392 12.15	364 11.28	281 8.71	83 2.57	28 0.87	
All other causes.....	5,773 178.96	3,177 98.48	2,175 67.42	1,002 31.06	2,596 80.47	
Less than 2,500 grams						
All causes	224,570 5,386.74	12,097 4,469.43	10,037 3,787.68	8,506 681.75	1,531 917.31	2,060
Congenital malformations (Q00-Q99).....	2,536 1,129.27	2,070 921.76	1,741 775.26	330 146.95	466 207.51	
Short gestation and low birthweight nec (P07).....	2,671 1,189.38	2,629 1,170.68	2,561 1,140.40	68 30.28	42 18.70	
Sudden infant death syndrome (R95).....	249 110.88	19 *	2 *	17 *	229 101.97	
Maternal complications of pregnancy (P01).....	1,028 457.76	1,022 455.09	1,007 448.41	15 *	6 *	

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
White						
Complications of placenta, cord, membranes (P02).....	663 295.23	659 293.45	643 286.32	16 *	4 *	4 *
Respiratory distress of newborn (P22).....	520 231.55	483 215.08	378 168.32	105 46.76	36 16.03	
Accidents (unintentional injuries) (V01-X59).....	94 41.86	13 *	5 *	8 *	80 35.62	
Bacterial sepsis of newborn (P36).....	416 185.24	396 176.34	184 81.93	212 94.40	20 8.91	
Diseases of the circulatory system (I00-I99).....	168 74.81	67 29.83	42 18.70	25 11.13	102 45.42	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	169 75.25	163 72.58	132 58.78	31 13.80	6 *	
All other causes.....	3,583 1,595.49	2,515 1,119.92	1,812 806.88	703 313.04	1,068 475.58	
2,500 grams or more						
All causes	3,000,852 208.31	2,322 77.38	1,373 45.75	948 31.59	3,929 130.93	
Congenital malformations (Q00-Q99).....	1,756 58.52	1,053 35.09	667 22.23	385 12.83	704 23.46	
Short gestation and low birthweight nec (P07).....	18 *	17 *	16 *	1 *	1 *	
Sudden infant death syndrome (R95).....	1,155 38.49	113 3.77	22 0.73	90 3.00	1,043 34.76	
Maternal complications of pregnancy (P01).....	34 1.13	34 1.13	32 1.07	2 *	- -	
Complications of placenta, cord, membranes (P02).....	68 2.27	65 2.17	60 2.00	5 *	3 *	
Respiratory distress of newborn (P22).....	22 0.73	21 0.70	18 *	3 *	1 *	
Accidents (unintentional injuries) (V01-X59).....	552 18.39	58 1.93	8 *	50 1.67	494 16.46	
Bacterial sepsis of newborn (P36).....	61 2.03	59 1.97	34 1.13	25 0.83	2 *	
Diseases of the circulatory system (I00-I99).....	200 6.66	62 2.07	26 0.87	35 1.17	139 4.63	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	219 7.30	197 6.56	145 4.83	52 1.73	22 0.73	
All other causes.....	2,165 72.15	643 21.43	344 11.46	299 9.96	1,521 50.69	
Not stated birthweight						
All causes	468 23,504.27	110 21,153.85	99 20,512.82	96 *	3 *	11 *
Congenital malformations (Q00-Q99).....	8 *	8 *	6 *	2 *	- -	
Short gestation and low birthweight nec (P07).....	44 9,401.71	44 9,401.71	44 9,401.71	- -	- -	

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total		Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal	Neonatal
White							
Sudden infant death syndrome (R95).....	3 *	-	-	-	-	-	3 *
Maternal complications of pregnancy (P01).....	15 *	15 *	15 *	-	-	-	-
Complications of placenta, cord, membranes (P02).....	7 *	7 *	7 *	-	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	1 *	1 *	-	1 *	-	-	-
Diseases of the circulatory system (I00-I99).....	2 *	1 *	1 *	-	-	-	1 *
Intrauterine hypoxia, birth asphyxia (P20-P21).....	4 *	4 *	4 *	-	-	-	-
All other causes.....	25 5,341.88	18 *	18 *	-	-	-	7 *
Black							
All birthweights							
All causes	599,860	8,094 1,349.31	5,530 921.88	4,423 737.34	1,107 184.54	2,563 427.27	
Congenital malformations (Q00-Q99).....		1,000 166.71	675 112.53	481 80.19	194 32.34	325 54.18	
Short gestation and low birthweight nec (P07).....		1,875 312.57	1,832 305.40	1,784 297.40	48 8.00	42 7.00	
Sudden infant death syndrome (R95).....		640 106.69	56 9.34	6 *	50 8.34	584 97.36	
Maternal complications of pregnancy (P01).....		564 94.02	558 93.02	545 90.85	13 *	6 *	
Complications of placenta, cord, membranes (P02).....		310 51.68	304 50.68	286 47.68	17 *	6 *	
Respiratory distress of newborn (P22).....		262 43.68	245 40.84	195 32.51	50 8.34	17 *	
Accidents (unintentional injuries) (V01-X59).....		249 41.51	35 5.83	5 *	30 5.00	214 35.67	
Bacterial sepsis of newborn (P36).....		269 44.84	259 43.18	95 15.84	164 27.34	10 *	
Diseases of the circulatory system (I00-I99).....		178 29.67	42 7.00	18 *	24 4.00	136 22.67	
Intrauterine hypoxia, birth asphyxia (P20-P21).....		132 22.01	120 20.00	88 14.67	32 5.33	12 *	
All other causes.....		2,615 435.94	1,404 234.05	919 153.20	484 80.69	1,211 201.88	
Less than 2,500 grams							
All causes	80,603	6,191 7,680.86	4,943 6,132.53	4,110 5,099.07	833 1,033.46	1,248 1,548.33	

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Black						
Congenital malformations (Q00-Q99).....	635 787.81	472 585.59	365 452.84	107 132.75	163 202.23	
Short gestation and low birthweight nec (P07).....	1,836 2,277.83	1,795 2,226.96	1,747 2,167.41	48 59.55	41 50.87	
Sudden infant death syndrome (R95).....	150 186.10	9 *	1 *	8 *	141 174.93	
Maternal complications of pregnancy (P01).....	552 684.84	546 677.39	533 661.27	13 *	6 *	
Complications of placenta, cord, membranes (P02).....	287 356.07	285 353.58	272 337.46	13 *	2 *	
Respiratory distress of newborn (P22).....	260 322.57	243 301.48	194 240.69	49 60.79	17 *	
Accidents (unintentional injuries) (V01-X59).....	61 75.68	12 *	4 *	8 *	49 60.79	
Bacterial sepsis of newborn (P36).....	249 308.92	239 296.52	86 106.70	154 191.06	10 *	
Diseases of the circulatory system (I00-I99).....	104 129.03	26 32.26	13 *	13 *	78 96.77	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	83 102.97	79 98.01	63 78.16	16 *	4 *	
All other causes.....	1,972 2,446.56	1,236 1,533.44	832 1,032.22	403 499.98	736 913.12	
2,500 grams or more						
All causes	519,127	1,848 355.98	536 103.25	262 50.47	274 52.78	1,313 252.92
Congenital malformations (Q00-Q99).....		363 69.93	202 38.91	115 22.15	86 16.57	161 31.01
Short gestation and low birthweight nec (P07).....		11 *	10 *	10 *	-	1 *
Sudden infant death syndrome (R95).....		490 94.39	47 9.05	5 *	42 8.09	443 85.34
Maternal complications of pregnancy (P01).....		4 *	4 *	4 *	-	-
Complications of placenta, cord, membranes (P02).....		19 *	15 *	11 *	4 *	4 *
Respiratory distress of newborn (P22).....		2 *	2 *	1 *	1 *	-
Accidents (unintentional injuries) (V01-X59).....		188 36.21	23 4.43	1 *	22 4.24	165 31.78
Bacterial sepsis of newborn (P36).....		19 *	19 *	9 *	10 *	-
Diseases of the circulatory system (I00-I99).....		72 13.87	16 *	5 *	11 *	56 10.79
Intrauterine hypoxia, birth asphyxia (P20-P21).....		47 9.05	39 7.51	23 4.43	16 *	8 *
All other causes.....		633 121.94	158 30.44	77 14.83	81 15.60	474 91.31

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United States, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total		Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal	Neonatal
Black							
Not stated birthweight							
All causes	130	54	51	51	-	-	3
		41,538.46	39,230.77	39,230.77			*
Congenital malformations (Q00-Q99).....		2	1	1	-	-	1
		*	*	*			*
Short gestation and low birthweight nec (P07).....		27	27	27	-	-	-
		20,769.23	20,769.23	20,769.23			-
Sudden infant death syndrome (R95).....		-	-	-	-	-	-
		-	-	-			-
Maternal complications of pregnancy (P01).....		8	8	8	-	-	-
		*	*	*			-
Complications of placenta, cord, membranes (P02).....		3	3	3	-	-	-
		*	*	*			-
Respiratory distress of newborn (P22).....		-	-	-	-	-	-
		-	-	-			-
Accidents (unintentional injuries) (V01-X59).....		-	-	-	-	-	-
		-	-	-			-
Bacterial sepsis of newborn (P36).....		-	-	-	-	-	-
		-	-	-			-
Diseases of the circulatory system (I00-I99).....		1	-	-	-	-	1
		*	-	-			*
Intrauterine hypoxia, birth asphyxia (P20-P21).....		2	2	2	-	-	-
		*	*	*			-
All other causes.....	11	10	10	-	-	-	1
	*	*	*				*
American Indian¹							
All birthweights							
All causes	43,054	376	196	147	49	180	
		873.32	455.24	341.43	113.81	418.08	
Congenital malformations (Q00-Q99).....		81	54	45	9	27	
		188.14	125.42	104.52	*	62.71	
Short gestation and low birthweight nec (P07).....		48	47	46	1	1	
		111.49	109.17	106.84	*	*	
Sudden infant death syndrome (R95).....		53	3	2	1	50	
		123.10	*	*	*	116.13	
Maternal complications of pregnancy (P01).....		7	7	6	1	-	
		*	*	*	*	-	
Complications of placenta, cord, membranes (P02).....		13	13	13	-	-	
		*	*	*			-
Respiratory distress of newborn (P22).....		7	6	3	3	1	
		*	*	*	*	*	
Accidents (unintentional injuries) (V01-X59).....		20	3	1	2	17	
		46.45	*	*	*	*	
Bacterial sepsis of newborn (P36).....		5	5	1	4	-	
		*	*	*	*	-	

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
American Indian¹						
Diseases of the circulatory system (I00-I99).....	7 *	1 *	1 *	-	-	6 *
Intrauterine hypoxia, birth asphyxia (P20-P21).....	5 *	5 *	3 *	2 *	-	-
All other causes.....	129 299.62	51 118.46	25 58.07	26 60.39	77 178.85	
Less than 2,500 grams						
All causes	3,191 6,079.60	194 4,638.04	148 3,666.56	117 971.48	31 1,441.55	46
Congenital malformations (Q00-Q99).....	39 1,222.19	33 1,034.16	30 940.14	3 *	6 *	
Short gestation and low birthweight nec (P07).....	47 1,472.89	46 1,441.55	45 1,410.22	1 *	1 *	
Sudden infant death syndrome (R95).....	10 *	-	-	-	-	10 *
Maternal complications of pregnancy (P01).....	7 *	7 *	6 *	1 *	-	-
Complications of placenta, cord, membranes (P02).....	12 *	12 *	12 *	-	-	
Respiratory distress of newborn (P22).....	7 *	6 *	3 *	3 *	1 *	
Accidents (unintentional injuries) (V01-X59).....	1 *	-	-	-	-	1 *
Bacterial sepsis of newborn (P36).....	5 *	5 *	1 *	4 *	-	-
Diseases of the circulatory system (I00-I99).....	2 *	-	-	-	-	2 *
Intrauterine hypoxia, birth asphyxia (P20-P21).....	2 *	2 *	1 *	1 *	-	-
All other causes.....	61 1,911.63	36 1,128.17	18 *	18 *	25 783.45	
2,500 grams or more						
All causes	39,856 451.63	180 117.92	47 70.25	28 *	18 *	133 333.70
Congenital malformations (Q00-Q99).....	41 102.87	20 50.18	14 *	6 *	21 52.69	
Short gestation and low birthweight nec (P07).....	-	-	-	-	-	-
Sudden infant death syndrome (R95).....	43 107.89	3 *	2 *	1 *	40 100.36	
Maternal complications of pregnancy (P01).....	-	-	-	-	-	-
Complications of placenta, cord, membranes (P02).....	1 *	1 *	1 *	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total		Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal	Neonatal
American Indian¹							
Accidents (unintentional injuries) (V01-X59).....	19 *	3 *	1 *	2 *	16 *		
Bacterial sepsis of newborn (P36).....	-	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	5 *	1 *	1 *	-	-	4 *	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	3 *	3 *	2 *	1 *	-	-	
All other causes.....	67 168.11	15 *	7 *	8 *	52 130.47		
Not stated birthweight							
All causes	7 *	1 *	1 *	1 *	-	-	-
Congenital malformations (Q00-Q99).....	-	-	-	-	-	-	-
Short gestation and low birthweight nec (P07).....	1 *	1 *	1 *	-	-	-	-
Sudden infant death syndrome (R95).....	-	-	-	-	-	-	-
Maternal complications of pregnancy (P01).....	-	-	-	-	-	-	-
Complications of placenta, cord, membranes (P02).....	-	-	-	-	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	-	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	-	-	-	-	-	-	-
Intrauterine hypoxia, birth asphyxia (P20-P21).....	-	-	-	-	-	-	-
All other causes.....	-	-	-	-	-	-	-
Asian or Pacific Islander							
All birthweights							
All causes	221,203	1,068 482.81	752 339.96	607 274.41	145 65.55	316 142.86	
Congenital malformations (Q00-Q99).....	259 117.09	185 83.63	142 64.19	42 18.99	75 33.91		
Short gestation and low birthweight nec (P07).....	192 86.80	189 85.44	186 84.09	3 *	3 *		
Sudden infant death syndrome (R95).....	61 27.58	1 *	1 *	-	60 27.12		

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Asian or Pacific Islander						
Maternal complications of pregnancy (P01).....	59 26.67	58 26.22	58 26.22	-	-	1 *
Complications of placenta, cord, membranes (P02).....	32 14.47	32 14.47	31 14.01	1 *	*	-
Respiratory distress of newborn (P22).....	27 12.21	26 11.75	16 *	10 *	*	1 *
Accidents (unintentional injuries) (V01-X59).....	27 12.21	2 *	1 *	1 *	25 11.30	
Bacterial sepsis of newborn (P36).....	23 10.40	22 9.95	9 *	13 *	*	1 *
Diseases of the circulatory system (I00-I99).....	32 14.47	8 *	4 *	4 *	24 10.85	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	21 9.49	21 9.49	17 *	4 *	-	-
All other causes.....	334 150.99	208 94.03	142 64.19	66 29.84	126 56.96	
Less than 2,500 grams						
All causes	17,255 4,294.41	741 3,674.30	634 3,048.39	526 631.70	109 620.11	
Congenital malformations (Q00-Q99).....	152 880.90	126 730.22	101 585.34	25 144.89	26 150.68	
Short gestation and low birthweight nec (P07).....	189 1,095.33	186 1,077.95	183 1,060.56	3 *	3 *	
Sudden infant death syndrome (R95).....	8 *	- -	- -	-	-	8 *
Maternal complications of pregnancy (P01).....	56 324.54	55 318.75	55 318.75	-	-	1 *
Complications of placenta, cord, membranes (P02).....	29 168.07	29 168.07	29 168.07	-	-	-
Respiratory distress of newborn (P22).....	26 150.68	25 144.89	16 *	9 *	-	1 *
Accidents (unintentional injuries) (V01-X59).....	2 *	- -	- -	-	-	2 *
Bacterial sepsis of newborn (P36).....	18 *	17 *	9 *	8 *	1 *	
Diseases of the circulatory system (I00-I99).....	12 *	3 *	2 *	1 *	9 *	
Intrauterine hypoxia, birth asphyxia (P20-P21).....	14 *	14 *	11 *	3 *	-	-
All other causes.....	235 1,361.92	180 1,043.18	120 695.45	59 341.93	55 318.75	
2,500 grams or more						
All causes	203,923 158.39	323 55.41	113 37.76	77 17.65	36 102.98	
Congenital malformations (Q00-Q99).....	107 52.47	59 28.93	42 20.60	17 *	48 23.54	

See footnotes at end of table.

Documentation Table 5

Infant deaths and infant mortality rates by age of death, birthweight, and race of mother for 10 major causes of infant death: United states, 2003 period data -Cont

[Infant deaths are weighted. Infant deaths are under 1 year. Neonatal deaths are under 28 days; early neonatal, 0-6 days; late neonatal, 7-27 days; and postneonatal, 28 days through 11 months. Rates are per 100,000 live births]

Cause of death, birthweight, and race of mother	Live		Total	Early	Late	Post-
	Births	Infant	Neonatal	Neonatal	Neonatal	Neonatal
Asian or Pacific Islander						
Short gestation and low birthweight nec (P07).....	1 *	1 *	1 *	-	-	-
Sudden infant death syndrome (R95).....	53 25.99	1 *	1 *	-	-	52 25.50
Maternal complications of pregnancy (P01).....	2 *	2 *	2 *	-	-	-
Complications of placenta, cord, membranes (P02).....	2 *	2 *	1 *	1 *	-	-
Respiratory distress of newborn (P22).....	1 *	1 *	-	1 *	-	-
Accidents (unintentional injuries) (V01-X59).....	25 12.26	2 *	1 *	1 *	1 *	23 11.28
Bacterial sepsis of newborn (P36).....	5 *	5 *	-	5 *	-	-
Diseases of the circulatory system (I00-I99).....	20 9.81	5 *	2 *	3 *	15 *	-
Intrauterine hypoxia, birth asphyxia (P20-P21).....	7 *	7 *	6 *	1 *	-	-
All other causes.....	99 48.55	28 13.73	21 10.30	7 *	71 34.82	-
Not stated birthweight						
All causes	25	4 *	4 *	4 *	-	-
Congenital malformations (Q00-Q99).....	-	-	-	-	-	-
Short gestation and low birthweight nec (P07).....	2 *	2 *	2 *	-	-	-
Sudden infant death syndrome (R95).....	-	-	-	-	-	-
Maternal complications of pregnancy (P01).....	1 *	1 *	1 *	-	-	-
Complications of placenta, cord, membranes (P02).....	1 *	1 *	1 *	-	-	-
Respiratory distress of newborn (P22).....	-	-	-	-	-	-
Accidents (unintentional injuries) (V01-X59).....	-	-	-	-	-	-
Bacterial sepsis of newborn (P36).....	-	-	-	-	-	-
Diseases of the circulatory system (I00-I99).....	-	-	-	-	-	-
Intrauterine hypoxia, birth asphyxia (P20-P21).....	-	-	-	-	-	-
All other causes.....	-	-	-	-	-	-

*/Figure does not meet standard of reliability or precision; based on fewer than 20 death in the numerator.

-/ Quality zero.

¹/ Includes Aleuts and Eskimos.